



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [www.skandia.co](http://www.skandia.co) | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.skandia.co** as of Tue Jul 12 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	16	0	100%

### Code snapshots of some successful elements

```
<button type="button" role="button" class="owl-prev disabled " ><span ari
a-label="Previous" ></span></button>
```

```
<button type="button" role="button" class="owl-next " ><span aria-label
="Next" ></span></button>
```

```
<button role="button" class="owl-dot active " data-acsb-carousel-paging
="true"><span data-="true" " aria-label=" slider 1 " aria-hidden="false"
>slider 1</span><span aria-hidden="true" data-acsb-force-hidden="true"></
span></button>
```

```
<button role="button" class="owl-dot " data-acsb-carousel-paging="true"><
span data-="true" " aria-label=" slider 2 " aria-hidden="false" >slider 2
</span><span aria-hidden="true" data-acsb-force-hidden="true"></span></bu
tton>
```

```
<button class="btn_play " role="button" data-acsb-textual-ops="video"><sp
an data-="true" " aria-label=" Jugar " aria-hidden="false" >Jugar</span><
img src="/o/SkandiaCo-public-theme/images/icon-skandia/play.svg" alt="Pla
y"></button>
```

```
<button class="btn_pause " role="button" data-acsb-textual-ops="pause"><s
pan data-="true" " aria-label=" Pausa " aria-hidden="false" >Pausa</span>
</button>
```

```
<button id="btn-mute" role="button"><span data-="true" " aria-label=" mut
e/unmute " aria-hidden="false" >mute/unmute</span><span class="volume-ico
n icon-skvolume-mute2"></span></button>
```

```
<button type="button" role="button" class="owl-prev disabled " style="z-i
ndex: 1;" ><span aria-label="Previous" ></span></button>
```

```
<button type="button" role="button" class="owl-next " style="z-index: 1;"><span aria-label="Next" >></span></button>
```

```
<button title="ir a Autorizo el uso de cookies" id="accept_cookies" class="" role="button">Autorizo el uso de cookies</button>
```

- 2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

16

0

100%

### Code snapshots of some successful elements

```
<button type="button" role="button" class="owl-prev disabled " ><span aria-label="Previous" ></span></button>
```

```
<button type="button" role="button" class="owl-next " ><span aria-label="Next" >></span></button>
```

```
<button role="button" class="owl-dot active " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" slider 1 " aria-hidden="false">slider 1</span><span aria-hidden="true" data-acsb-force-hidden="true"></span></button>
```

```
<button role="button" class="owl-dot " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" slider 2 " aria-hidden="false">slider 2</span><span aria-hidden="true" data-acsb-force-hidden="true"></span></button>
```

```
<button class="btn_play " role="button" data-acsb-textual-ops="video"><span data-="true" " aria-label=" Jugar " aria-hidden="false">Jugar</span></button>
```

```
<button class="btn_pause " role="button" data-acsb-textual-ops="pause"><span data-="true" " aria-label=" Pausa " aria-hidden="false">Pausa</span></button>
```

```
<button id="btn-mute" role="button"><span data-="true" " aria-label=" mute/unmute " aria-hidden="false" >mute/unmute</span><span class="volume-icon icon-skvolume-mute2"></span></button>
```

```
<button type="button" role="button" class="owl-prev disabled " style="z-index: 1;" ><span aria-label="Previous" ></span></button>
```

```
<button type="button" role="button" class="owl-next " style="z-index: 1;" ><span aria-label="Next" ></span></button>
```

```
<button title="ir a Autorizo el uso de cookies" id="accept_cookies" class=" " role="button">Autorizo el uso de cookies</button>
```

- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

69

0

100%

### Code snapshots of some successful elements

```
<a href="https://www.skandia.co/home" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ← / → para navegar por el menú" >Personas </a>
```

```
<a href="https://fiduciaria.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Corporate | Se abre en una nueva..." >
```

```
<a href="https://wealth.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Wealth | Se abre en una nueva ventan..." >
```

```
<a href="https://pipeline3.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Distribuidores | Se abre en una nueva ventan..." >
```

```
<a href="https://www.skandia.com.co/sitios/busqueda/Paginas/results.aspx" target="_blank" data-acsb-tooltip="Use ← / → para navegar por el menú" data-acsb-menu="a" data-acsb-menu-root-link="true"> ...
```

```
<a href="http://portal.skandia.com.co/om.rentabilidades.pl/oldmutual" target="_blank" data-acsb-tooltip="Se abre en una nueva ventana" data-acsb-menu="a" data-acsb-menu-root-link="true"> <spa...
```

```
<a href="https://www.skandia.co/canales-de-atencion" data-toggle="dropdown" class="dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a href="https://www.skandia.co/consulta-extractos-y-certificados" data-acsb-menu="a" data-acsb-menu-root-link="true"> <div class="icons-top-sk"> ...
```

```
<a href="https://www.skandia.co" class="logo custom-logo navbar-brand" data-acsb-scrape-url="https://skandia.co">  ...
```

- 
- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

51

0

100%

### Code snapshots of some successful elements

```
<a href="https://fiduciaria.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Corporate | Se abre en una nueva..."
```

```
<a href="https://wealth.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Wealth | Se abre en una nueva ventan...
```

```
<a href="https://pipeline3.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Distribuidores | Se abre en una n...
```

```
<a href="https://www.skandia.com.co/sitios/busqueda/Paginas/results.aspx" target="_blank" data-acsb-tooltip="Use ← / → para navegar por el menú" data-acsb-menu="a" data-acsb-menu-root-link="true"> ...
```

```
<a href="http://portal.skandia.com.co/om.rentabilidades.pl/oldmutual" target="_blank" data-acsb-tooltip="Se abre en una nueva ventana" data-acsb-menu="a" data-acsb-menu-root-link="true"> <spa...
```

```
<a class="btn-sk " title="ir a ÚNETE A SKANDIA" href="https://cliente.skandia.com.co/wps/portal/clientes/VinculacionElectronica?utm_source=New-Hub&utm_medium=Banner&utm_id=New-Hub&utm_campaign=SkandiaGO&utm_term=FPOB_Atr&utm_conte...
```

```
<a href="https://asesoria.skandia.com.co/wps/portal/PortalAsesoría/inicio/blog/comoahorrar/capitulo-sesenta-y-uno/hablemos-sobre-la-pension?" target="_blank" data-acsb-tooltip="go to blog | Se abre en una nueva ventana" > <span ...
```

```
<a class="blogs-category " href="https://asesoria.skandia.com.co/wps/portal/PortalAsesoría/inicio/blog/comoahorrar/capitulo-sesenta-y-uno/hablemos-sobre-la-pension?" title="ir a ¡Hablemos claro!" target="_blank" data-acsb-tooltip="ir a ¡Hablemos clar...
```

```
<a class="blogs-title" href="https://asesoria.skandia.com.co/wps/portal/PortalAsesoría/inicio/blog/comoahorrar/capitulo-sesenta-y-uno/hablemos-sobre-la-pension?" title="go to Conoce los mitos y verdades de la pensión" target="_blank" data-acsb-toolti...
```

```
<a class="blogs-age " href="https://asesoria.skandia.com.co/wps/portal/PortalAsesoría/inicio/blog/comoahorrar/capitulo-sesenta-y-uno/hablemos-sobre-la-pension?" title="Fecha de publicacion 2022" target="_blank" data-acsb-tooltip="Fecha de publicacion...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Code snapshots of some successful elements

```
<h1 >Tu pensión Skandia</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	49	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a	No	0	0	-

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	8	0	100%

### Code snapshots of some successful elements

```
<ul class="service-site-sk " data-acsb-menu="ul" > ...
```

```
<ul class="active-li-sk" data-acsb-menu="ul" > ...
```

```
<nav class="navbar navbar-expand-xl" role="presentation"> <a href="http
s://www.skandia.co" class="logo custom-logo navbar-brand" data-acsb-scrap
e-url="https://skandia.co"> <img class="logo-desktop" alt="Ilustrac...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"> <a href="https://www.skandia.com.co/servicio-al-cliente/contactenos/Paginas/contactenos.aspx" target="_blank" data-acsb-tooltip="Use...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"> <a target="_blank" href="https://www.skandia.com.co/servicio-al-cl...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"> <a target="_blank" href="https://www.skandia.com.co/responsabilid...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"> <a target="_blank" href="https://www.skandia.com.co/terminos-y-co...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"> <a target="_blank" href="https://www.skandia.com.co/ley-de-transp...
```

16 [Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".](#)

Yes

3

0

100%

### Code snapshots of some successful elements

```
<a href="https://www.skandia.co/canales-de-atencion" data-toggle="dropdown" class=" dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/100-digital" id="navbarDropdownMenuLink1" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/skandia" id="navbarDropdownMenuLink4" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

Menu items that have a dropdown menu include an "aria-expanded" attribute that

equals to "false" that changes to "true" and back when opening or closing the dropdown.

### Code snapshots of some successful elements

```
<a href="https://www.skandia.co/canales-de-atencion" data-toggle="dropdown" class="dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/100-digital" id="navbarDropdownMenuLink1" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/skandia" id="navbarDropdownMenuLink4" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.

Yes

15

0

100%

### Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	46	1	98%

### Code snapshots of some successful elements

```
<span class="icon-skArrow-Down " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skClose" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span id="p_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_LZQklkVIguwd" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span id="p_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_Y6elCz1zgUeI" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skArrow-Down-Green" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skArrow-Right-Green " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skcomilla-One " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skcomilla-Two " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skcomilla-One" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skcomilla-Two" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

### Code snapshots of some failed elements

```
<span class="volume-icon icon-skvolume-mute2"></span>
```

---

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
----	--	----	---	---	---

---

22	Every "area" element of a "map" tag should	No	0	0	-
----	--	----	---	---	---

an "alt" attribute.

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<input class="video-sound" aria-label="volume control" type="range" min="0" max="1" step="0.1" aria-hidden="false" style="background-image: none;" data-acsb-validation-uuid="acblkadr91u" data-acsb-field-visible="true" placeholder="volume control" ...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	5	0	100%

## Code snapshots of some successful elements

```
<div class="dropdown-menu acsb-hidden " aria-labelledby="navbarDropdownMenuLink1" aria-hidden="true" data-acsb-dropdown="apjtzwrhfg6l" role="region" aria-label="Submenú" > <div class="drop-header" > ...
```

```
<div class="dropdown-menu acsb-hidden " aria-labelledby="navbarDropdownMenuLink4" aria-hidden="true" data-acsb-dropdown="apupuy825ohj" role="region" aria-label="Submenú" > <div class="drop-header" > ...
```

```
<div class="tab-pane fade show active" id="testimony0" role="tabpanel" aria-labelledby="testimony0-tab"> <div class="tab-container variant"> <div class="tab-info"> <span class="icon-skcomilla-One " aria...
```

```
<div class="tab-pane fade show " id="testimony1" role="tabpanel" aria-labelledby="testimony1-tab" aria-hidden="true" > <div class="tab-container variant" > <div class="tab-info" > <span class="icon-sk...
```

```
<div class="tab-pane fade show " id="testimony2" role="tabpanel" aria-labelledby="testimony2-tab" aria-hidden="true" > <div class="tab-container variant" > <div class="tab-info" > <span class="icon-sk...
```

---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

---

- |    |  |     |      |   |      |
|----|--|-----|------|---|------|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100% |
|----|--|-----|------|---|------|

#### Code snapshots of some successful elements

```
<html class="ltr yui3-js-enabled acsb-light-contrast" dir="ltr" lang="es-ES" id="acsb-light-contrast"><head> <!-- Google Tag Manager --> <base href="https://www.skandia.co"><meta name="aceEmbedder" content="https://acsb.ace.com"><meta name="aceCli...
```

- |    |  |     |      |   |      |
|----|--|-----|------|---|------|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100% |
|----|--|-----|------|---|------|

#### Code snapshots of some successful elements

```
<meta content="initial-scale=1.0, width=device-width" name="viewport">
```

- |    |   |     |   |   |      |
|----|---|-----|---|---|------|
| 34 | Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. | Yes | 3 | 0 | 100% |
|----|---|-----|---|---|------|

#### Code snapshots of some successful elements

```
<div class="columns-1" id="main-content" role="main" data-acsb-main="true"> <div class="portlet-layout row"> <div class="col-md-12 portlet-column portlet-column-only" id="column-1"> <div class="portlet-dropzone portlet-column-content portlet-co...
```

```
<footer id="footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Pie de página"> <div class="portlet-boundary portlet-boundary_com_liferay_journal_content_web_portlet_JournalContentP...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	116	0	100%

### Code snapshots of some successful elements

```
<a href="https://www.skandia.co/home" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ← / → para navegar por el menú" >Personas </a>
```

```
<p >Buscar en Skandia</p>
```

```
<p >Rentabilidades</p>
```

```
<p >Canales de atención</p>
```

```
<p >Certificados</p>
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/100-digital" id="navbarDropdownMenuLink1" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/skandia " id="navbarDropdownMenuLink4" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="btn-sk 0 variant " href="https://www.skandia.co/web/guest/inversion-ahorro-y-productos-digitales" >Vincúlate</a>
```

```
<h2 class="hide-accessible " role="heading" aria-level="1">Home</h2>
```

```
<h2 >TU PENSIÓN SKANDIA</h2>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	8	0	100%
----	---	-----	---	---	------

### Code snapshots of some successful elements

```
<button type="button" role="button" class="owl-prev disabled " ><span aria-label="Previous" ></span></button>
```

```
<button type="button" role="button" class="owl-next " ><span aria-label="Next" ></span></button>
```

```
<button type="button" role="button" class="owl-prev disabled " style="z-index: 1;" ><span aria-label="Previous" ></span></button>
```

```
<button type="button" role="button" class="owl-next " style="z-index: 1;" ><span aria-label="Next" ></span></button>
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	4	2	67%
----	---	-----	---	---	-----

### Code snapshots of some successful elements

```
<button role="button" class="owl-dot active " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" slider 1 " aria-hidden="false">slider 1</span><span aria-hidden="true" data-acsb-force-hidden="true" ></span></button>
```

```
<button role="button" class="owl-dot " data-acsb-carousel-paging="true"><span data-="true" " aria-label=" slider 2 " aria-hidden="false" >slider 2</span><span aria-hidden="true" data-acsb-force-hidden="true" ></span></button>
```

### Code snapshots of some failed elements

```
<button role="button" class="owl-dot active " tabindex="-1" aria-hidden="true" ><span aria-hidden="true" data-acsb-force-hidden="true" ></span></button>
```

```
<button role="button" class="owl-dot " tabindex="-1" aria-hidden="true" ><span aria-hidden="true" data-acsb-force-hidden="true" ></span></button>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

43	If nested tables are used (a table element	No	0	0	-
----	--	----	---	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100%

### Code snapshots of some successful elements

```
<iframe name="_hjRemoteVarsFrame" title="_hjRemoteVarsFrame" id="_hjRemoteVarsFrame" src="https://vars.hotjar.com/box-5e0db0f25ef573fe233efc0372d38d69.html" style="display: none !important; width: 1px !important; height: 1px !important; opacity: 0 !i...
```

```
<iframe id="_hjSafeContext_15963131" src="about:blank" style="display: none !important; width: 1px !important; height: 1px !important; opacity: 0 !important; pointer-events: none !important;" aria-hidden="true" ></iframe>
```