



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.skandia.co/blog | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.skandia.co/blog** as of Thu Sep 22 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	7	0	100%

Code snapshots of some successful elements

```
<button class="btn btn-secondary dropdown-toggle " type="button" id="sort-by-sk" data-toggle="dropdown" aria-expanded="false" role="button"> <p >Más reciente</p><span class="category-icon icon-skArrow-Down-Green " aria-hidd...
```

```
<button id="categoryButton" role="button"><p id="idCategoryP" >Todas</p><span class="category-icon icon-skArrow-Down-Green " aria-hidden="true" data-acsb-force-hidden="true"></span></button>
```

```
<a href="#" aria-controls="blog-posts-sk" aria-label="Atras" data-dt-idx="0" class="page-link " data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ← / → para navegar por el menú"><span class="icon-skArrow-Left...
```

```
<a href="#" aria-controls="blog-posts-sk" aria-label="Adelante" data-dt-idx="4" class="page-link " data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"><span class="icon-skArrow-Right " aria-hidden="true" data-acsb-force-hidden="true..."
```

```
<button title="Copiar URL actual" onclick="skCopyURL()" class="btn-sk " role="button"> Copiar Autorizo el uso de cookies</button>
```

```
<button class="_hj-ETLL8__MinimizedWidgetMiddle__label " role="button"><div class="_hj-Dfxkw__MinimizedWidgetMiddle__text ">Sugerencias</div><div class="_hj-T5uly__MinimizedWidgetMiddle__emotionIcon"><div class="_hj-pRFOn__EmotionIconDefault__ico...
```

"aria-label" attribute should be used for that description.

Code snapshots of some successful elements

```
<button class="btn btn-secondary dropdown-toggle " type="button" id="sort-by-sk" data-toggle="dropdown" aria-expanded="false" role="button"> <p >Más reciente</p><span class="category-icon icon-skArrow-Down-Green " aria-hidd...
```

```
<button id="categoryButton" role="button"><p id="idCategoryP" >Todas</p><span class="category-icon icon-skArrow-Down-Green " aria-hidden="true" data-acsb-force-hidden="true"></span></button>
```

```
<a href="#" aria-controls="blog-posts-sk" aria-label="Atras" data-dt-idx="0" class="page-link " data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use < / > para navegar por el menú"><span class="icon-skArrow-Left...
```

```
<a href="#" aria-controls="blog-posts-sk" aria-label="Adelante" data-dt-idx="4" class="page-link " data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"><span class="icon-skArrow-Right " aria-hidden="true" data-acsb-force-hidden="true...
```

```
<button title="Copiar URL actual" onclick="skCopyURL()" class="btn-sk " role="button"> Copiar Autorizo el uso de cookies</button>
```

```
<button class="_hj-ETLL8__MinimizedWidgetMiddle__label " role="button"><div class="_hj-Dfxkw__MinimizedWidgetMiddle__text ">Sugerencias</div><div class="_hj-T5uly__MinimizedWidgetMiddle__emotionIcon"><div class="_hj-pRFOn__EmotionIconDefault__ico...
```

Code snapshots of some successful elements

```
<a href="https://www.skandia.co/home" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ← / → para navegar por el menú" >
Personas </a>
```

```
<a href="https://fiduciaria.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Corporate | Se abre en una nueva...">
```

```
<a href="https://wealth.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Wealth | Se abre en una nueva ventana...">
```

```
<a href="https://pipeline3.skandia.com.co?utm_source=New-Hub&utm_medium=Menu&utm_id=New-Hub&utm_campaign=Skandia&utm_term=Top-bar&utm_content=Segmento_Clientes" target="_blank" data-acsb-tooltip="Distribuidores | Se abre en una nueva ventana...">
```

```
<a href="https://www.skandia.com.co/sitios/busqueda/Paginas/results.aspx" target="_blank" data-acsb-tooltip="Use ← / → para navegar por el menú" data-acsb-menu="a" data-acsb-menu-root-link="true"> ...
```

```
<a href="https://portal.skandia.com.co/om.rentabilidades.pl/oldmutual" target="_blank" data-acsb-tooltip="Se abre en una nueva ventana" data-acsb-menu="a" data-acsb-menu-root-link="true"> <sp>...
```

```
<a href="https://www.skandia.co/canales-de-atencion" data-toggle="dropdown" class="dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a href="https://www.skandia.co/consulta-extractos-y-certificados" data-acsb-menu="a" data-acsb-menu-root-link="true"> <div class="icons-top-sk">
...</div>
```

```
<a href="https://www.skandia.co/transparencia-skandia" data-toggle="dropdown" class="dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a href="https://www.skandia.co" class="logo custom-logo navbar-brand" data-acsb-scrape-url="https://skandia.co">  ...
```

```
<a href="https://portal.skandia.com.co/om.rentabilidades.pl/oldmutual" target="_blank" data-acsb-tooltip="Se abre en una nueva ventana" data-acsb-menu="a" data-acsb-menu-root-link="true"> <sp...
```

```
<a class="btn-sk 1 " href="https://cliente.skandia.com.co/wps/portal/clientes/LoginOM/#!LOGIN_PORTAL_CLIENTES_VIEW" target="_blank" data-acsb-tooltip="INICIA SESIÓN | Se abre en una nueva ventana" ><span data-="true" " aria-label=" account " aria-...
```

```
<a title="ir a SOLICITA ASESORÍA" target="_blank" class="btn-sk variant " href="https://api.whatsapp.com/send/?phone=5716584103&text&app_ab sent=0" data-acsb-tooltip="ir a SOLICITA ASESORÍA | Se abre en una nueva ventana" ><span data-="true..."
```

```
<a target="_blank" href="https://www.suin-juriscol.gov.co/" data-acsb-tooltip=" Búsqueda de normas | Se abre en una nueva ventana" data-acsb-menu ="a" data-acsb-menu-root-link="true" ><span data-="true" " aria-label=" Se abre en una nueva ventana ...
```

```
<a target="_blank" href="https://www.skandia.co/documents/39464/144418/No rmas-pagina-web-Skandia.pdf" data-acsb-tooltip=" Normatividad aplicable a Skandia | Se abre en una nueva ventana" ><span data-="true" " aria-label =" Este enlace abrirá un do...
```

```
<a href="https://www.linkedin.com/company/skandia-colombia/" target="_blank" data-acsb-tooltip="Ir a LinkedIn | Se abre en una nueva ventana" > <span data-="true" " aria-label=" Ir a LinkedIn " aria-hidden="false" >...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

Code snapshots of some successful elements

```
<h1 class=" akpy8q0fqknf" >Conoce más de nuestros productos</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	29	0	100%
---	---	-----	----	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
---	--	----	---	---	---

For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.

Yes

9

0

100%

Code snapshots of some successful elements

```
<ul class="service-site-sk " data-acsb-menu="ul" > ...
```

```
<ul class="active-li-sk" data-acsb-menu="ul" > ...
```

```
<nav class="navbar navbar-expand-xl" role="presentation"> <a href="http s://www.skandia.co" class="logo custom-logo navbar-brand" data-acsb-scrap e-url="https://skandia.co"> <img class="logo-desktop" alt="Logo Ska...
```

```
<nav aria-label="Migas de pan" id="_com_liferay_site_navigation_breadcru mb_web_portlet_SiteNavigationBreadcrumbPortlet_INSTANCE_sR4A3VFodSQ5_bread crumbs-defaultScreen" role="navigation" data-acsb-bc="true"> <section cla ss="breadcrumbs-sk"> ...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="tr ue"> <a title="ir a Radica tu solicitud" href="https://www.skandia.co/rad ica-tu-solicitud" target="_parent" data-acsb-menu="a" data-ac...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="tr ue"> <a href="https://www.skandia.com.co/servicio-al-cliente/Paginas/r e...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="tr ue"> <a href="https://www.skandia.com.co/ley-de-transparencia/Paginas/ d...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="tr ue"> <a href="https://www.skandia.com.co/terminos-y-condiciones-canale s...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="tr ue"> <a href="https://www.skandia.com.co/responsabilidad-social/Pagina s...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	4	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<a href="https://www.skandia.co/canales-de-atencion" data-toggle="dropdown" class=" dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a href="https://www.skandia.co/transparencia-skandia" data-toggle="dropdown" class=" dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/100-digital" id="navbarDropdownMenuLink1" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Us...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/skandia" id="navbarDropdownMenuLink4" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	4	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<a href="https://www.skandia.co/canales-de-atencion" data-toggle="dropdown" class=" dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a href="https://www.skandia.co/transparencia-skandia" data-toggle="dropdown" class=" dropdown-toggle" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/100-digital" id="navbarDropdownMenuLink1" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Us...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/skandia" id="navbarDropdownMenuLink4" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

18 [Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.](#)

Yes

14

0

100%

Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	34	0	100%

Code snapshots of some successful elements

```
<span class="icon-skArrow-Down " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skClose" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span id="p_com_liferay_site_navigation_breadcrumb_web_portlet_SiteNavigationBreadcrumbPortlet_INSTANCE_sR4A3VFodSQ5" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skArrow-Left " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span id="p_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_5FJNFPdyeUR3" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span id="p_com_skandia_co_blog_web_SkandiaCoBlogWebPortlet" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="category-icon icon-skArrow-Down-Green " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skArrow-Up" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon-skArrow-Right " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<input value="https://www.skandia.co/blog" type="text" name="copy-url" id="copy-url-101151" aria-hidden="false" data-acsb-validation-uuid="copy-url-101151" data-acsb-field-visible="true" aria-label="Comparte esta información Copia esta url Copiar"...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	4	0	100%

Code snapshots of some successful elements

```
<table id="blog-posts-sk" class="table blogs-list dataTable no-footer" style="width:100%" aria-describedby="blog-posts-sk_info"> <thead aria-hidden="true" > <tr ><th class="sorting_disabled " rowspan="1" colspan="1" style...
```

```
<div class="dropdown-menu acsb-hidden " aria-labelledby="navbarDropdownMenuLink1" aria-hidden="true" data-acsb-dropdown="adjwafwp37dr" role="region" aria-label="Submenú" > <div class="drop-header" > ...
```

```
<div class="dropdown-menu acsb-hidden " aria-labelledby="navbarDropdownMenuLink4" aria-hidden="true" data-acsb-dropdown="aaenxif2ul4" role="region" aria-label="Submenú" > <div class="drop-header" > ...
```

```
<ul title="Menu order por" class="dropdown-menu " aria-labelledby="sort-by-sk" aria-hidden="true" > <li class="dropdown-item active-sk " data-value="masR" ><p >Más reciente</p><span class="icon-skArrow-Up" aria-hidden="true"...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
----	---	----	---	---	---

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<title>Blog - Skandia Colombia</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<html class="ltr yui3-js-enabled acsb-light-contrast" dir="ltr" lang="es-ES" id="acsb-light-contrast"><head> <!-- Google Tag Manager --> <base href="https://www.skandia.co"><meta name="aceEmbedder" content="https://accessscan.accessibe.com"><meta...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<meta content="initial-scale=1.0, width=device-width" name="viewport">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<div class="columns-1" id="main-content" role="main" data-acsb-main="true"> <div class="portlet-layout row"> <div class="col-md-12 portlet-column portlet-column-only" id="column-1"> <div class="portlet-dropzone portlet-column-content portlet-co...
```

```
<footer id="footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Pie de página"> <div class="portlet-boundary portlet-boundary_com_liferay_journal_content_web_portlet_JournalContentP...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

-1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	96	0	100%
----	--	-----	----	---	------

Code snapshots of some successful elements

```
<a href="https://www.skandia.co/home" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ← / → para navegar por el menú" >
Personas </a>
```

```
<p >Buscar en Skandia</p>
```

```
<p >Rentabilidades</p>
```

```
<p >Canales de atención</p>
```

```
<p >Certificados</p>
```

```
<p >Transparencia</p>
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/100-digital" id="navbarDropdownMenuLink1" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Us...
```

```
<a class="nav-link dropdown-toggle " href=" https://www.skandia.co/skandia" id="navbarDropdownMenuLink4" data-toggle="dropdown" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"> ...
```

```
<a class="nav-link dropdown-toggle " title="Skandia menu" href="https://www.skandia.co/blog" data-acsb-menu="a" data-acsb-menu-root-link="true"> Blog </a>
```

```
<a class="btn-sk 0 variant " href="https://www.skandia.co/inversion-ahorr
o-y-productos-digitales" >Sé cliente</a>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0	100%

Code snapshots of some successful elements

```
<a href="#" aria-controls="blog-posts-sk" aria-label="Atras" data-dt-idx
="0" class="page-link " data-acsb-menu="a" role="button" data-acsb-menu-r
oot-link="true" data-acsb-tooltip="Use ← / → para navegar por el menú"><s
pan class="icon-skArrow-Left...
```

```
<a href="#" aria-controls="blog-posts-sk" aria-label="Adelante" data-dt-i
dx="4" class="page-link " data-acsb-menu="a" role="button" data-acsb-menu
-root-link="true"><span class="icon-skArrow-Right " aria-hidden="true" da
ta-acsb-force-hidden="true...
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<div class="portlet-boundary portlet-boundary_com_liferay_site_navigation_breadcrumb_web_portlet_SiteNavigationBreadcrumbPortlet_portlet-static portlet-static-end portlet-barebone portlet-breadcrumb " id="p_p_id_com_liferay_site_navigation_breadcru...
```

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface	Yes	Pass	-	100%

(font-size, colors, spacing, etc.) to their

needs. It is not a compliance requirement, but can help to improve compliance.

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	3	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<iframe name="_hjRemoteVarsFrame" title="_hjRemoteVarsFrame" id="_hjRemoteVarsFrame" src="https://vars.hotjar.com/box-69edcc3187336f9b0a3fbb4c73be9fe6.html" style="display: none !important; width: 1px !important; height: 1px !important; opacity: 0 !i...
```

```
<iframe id="_hjSafeContext_27611862" src="about:blank" style="display: none !important; width: 1px !important; height: 1px !important; opacity: 0 !important; pointer-events: none !important;" aria-hidden="true" ></iframe>
```

```
<iframe id="_hjSafeContext_67254333" src="about:blank" style="display: none !important; width: 1px !important; height: 1px !important; opacity: 0 !important; pointer-events: none !important;" aria-hidden="true" ></iframe>
```